

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

RABIES.

During the week ended May 18, 1912, 1 death from rabies was reported at Chicago, Ill.

SAN FRANCISCO, CAL.

A Correction.

The 13 cases of rabies reported in the Public Health Reports of May 10, 1912, page 711, as having occurred at San Francisco, Cal., during the week ended April 20, 1912, should have been omitted. The cases referred to were in dogs and not in man.

TETANUS.

During the week ended May 18, 1912, 1 case of tetanus was re-

ported at Saratoga Springs, N. Y.

During the month of March, 1912, 2 deaths from tetanus were reported in the State of Iowa.

SMALLPOX IN THE UNITED STATES.

In the following table the States indicated by an asterisk are those from which reports of smallpox are received only from certain city, and in some cases county, boards of health. In these States, therefore, the recorded cases and deaths should not be taken as showing the general prevalence of the disease. In the States not marked by an asterisk the reports are received monthly from the State boards of health and include all cases reported to the State authorities.

REPORTS RECEIVED DURING WEEK ENDED JUNE 7, 1912.

Places.	Date.	Cases.	Deaths.	Remarks.
izona	. Apr. 1-30			No case.
orida:				
Counties-			1	
Brevard	. Apr. 23–29	3		
Escambia		3		
Hillsboro		13		
Jackson	do	59		
Nassau		1		
Sumter		1		
Volusia	do	2		
Total for State		82		
Duval Escambia	May 1-7	11		
Escambia	do	9		
Franklin	do	3		
Madison		1		
Orange		1 1		1
		1 :		
Putnam	ao	1		
Total for State		29		
Volusia	May 12-26	2	1	
	Fi-1 1 00			G 460
mesota	Feb. 1-29		. 2	Cases, p. 469.
County—	1 -	1	1 -	1
Ramsey	do		. 1	l
Total for State			3	1
TOTAL TOT STATE				.]
anavlvania	An 1 20	51		1
nsylvania	. Apr. 1-30	1 91	1	I

SMALLPOX IN THE UNITED STATES-Continued.

Reports Received during week ended June 7, 1912.

Places.	Date.	Cases.	Deaths.	Remarks.				
Utah:	-							
Counties—								
Beaver	Apr. 1-30	10						
Cache	do	26						
Davis								
Emery	do	15	.					
Juab		1						
Salt Lake		103						
Sanpete	do	2						
Tooêle								
Utah		25						
Wasatch								
Weber	do	47						
Total for State		267						
Grand total for the		401						
United States		431	4					

MORBIDITY AND MORTALITY.

MORBIDITY AND MORTALITY TABLE, CITIES OF THE UNITED STATES, FOR WEEK ENDED MAY 18, 1912.

Cities.	Population, United States Census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having over 500,000 in- habitants.														
Baltimore, Md	558, 485 670, 585 2, 185, 283 560, 663 4, 766, 883 1, 549, 008 687, 029	165 216 649 148 1,463 435 233	9 24 93 28 270 64 15	10 2 24 7	15 162 281 122 1,713 39 44	3 2 42 1	16 20 270 27 394 65 27	2 16 4 15 4	1 2 1	1	42 80 78 42 512 79 29	25 20 69 23 178 46 25	4 8 9 3 30 24 6	1 1 1 5 3 3
Cities having from 300,000 to 500,000 inhabitants.] 1												
Cincinnati, Ohio. Detroit, Mich. Los Angeles, Cal. Milwaukee, Wis. Newark, N. J. New Orleans, La. San Francisco, Cal. Washington, D. C.	364, 463 465, 766 319, 198 373, 857 347, 469 339, 075 416, 912 331, 069	114 168 101 97 118 119 121	9 15 12 11 14 1 2 2	3 2 2 1	10 146 41 14 21 98	2 2	17 37 10 20 21 6 2	1 1 2	1 3 1 1		35 28 19 44 44 26 24	17 21 5 14 14 17 14	9 15 2 5 5 6	1 1 2 1
Cities having from 200,000 to 300,000 inhabitants.														
Jersey City, N. J	267,779 248,381 224,326 237,194	74 18 48 40	3 18 2	2 	8 15 21	i	22 4	2 1 3			2 1 6	7 5 6 8	2 1 5	
Cities having from 100,000 to 200,000 inhabitants.														
Bridgeport, Conn. Cambridge, Mass. Columbus, Ohio. Dayton, Ohio. Fall River, Mass. Grand Rapids, Mich. Lowell, Mass. Nashville, Tenn.	102, 054 104, 839 181, 548 116, 577 119, 295 112, 571 106, 294 110, 364	28 23 47 42 36 34 37 37	3 4 2 2 1 1 2	1	2 41 55 60 2 4 71	4	11	i	1		1	3 3 2 1 5 3 5 7	6 1 1 2 5 	1 1 1 1 1